



# PROFILDOORS

## CATALOG



# COLLECTION FOR PAINTING AND HIDDEN FRAMES

Hidden or "invisible" doors are one of the most essential solutions in the present-day interior design. Such doors allow you to make the room more spacious, visually freeing it from conditional boundaries, while maintaining integrity and harmony of the artistic design.




OPA model for painting  
Edge - White Edition  
Frame - INVISIBLE  
Handles - Model 360, matte white



# EDGE COLOR / SECTION




# FRAMES



INVISIBLE / INVISIBLE INFINITY (4)

The frame design of this system allows you to install the door panel flush with the wall, without framing the opening with trims, thereby creating the effect of an invisible door, which can be enhanced if the wall color or texture is the same as texture or color of the door.

INVISIBLE INFINITY allows you to install the doors under the ceiling without the upper lintel and trims, thereby visually increasing the height and maintaining a single plane of the ceiling of two rooms separated by the door.



INVISIBLE REVERSE / INVISIBLE REVERSE INFINITY (4)

The system of hidden doors is one of the most essential solutions in present-day interior design.

Until recently, a limitation has applied: doors could only be installed with outward opening. The new Invisible Reverse system is designed specifically to solve this problem - now the doors have the ability to open inside the doorway. Reverse opening is also possible in the INFINITY version.



SLIM (27)

The SLIM frame is made of aluminum section.

The narrow trim is combined with the frame, it visually enlarges the room and emphasizes the door panel elegance.



# OPA - DESCRIPTION

The standard panel height is not more than 2100 mm. It is possible to manufacture a door of non-standard height in increments of 5 cm, but not higher than 2300 mm with standard molding, INVISIBLE molding - up to 3000 mm.

Standard sizes of panels (width): 400 mm, 600 mm, 700 mm, 800 mm. It is possible to manufacture a door with non-standard width in increments of 5 cm, but not wider than 1000 mm.

Door panel thickness - 44 mm.

Hardware:

- All panels are cut by default for AGB 190 lock and hinges AGB Eclipse.
- Door handles at your choice.

